Medium-Mu Triode

NUVISTOR TYPE

Heater Designed to Operate from Battery Supplies Used in Sonobuoy and Other Expendable Equipment

Electrical:

	Liceti idai.	
×.	Heater Characteristics and Ratings: Voltage (DC)Tubes will be supplied with the heater designed to operate within ± 10% of any specified center heater voltage between 6.0 and 8.5 volts to meet specificatery-supply requirements in sonobuoy and other expendable equipment.	er ic
	Input 0.85 water—cathode voltage: Heater negative with respect	tt
	to cathode 100 max. vol	ts
	to cathode	ts
	Grid to plate 2.1	pf
		рf
		pf
		рf
	Heater to cathode 1.4	pf
	Characteristics, Class A Amplifier:	
	Heater Voltage Specified center value	ue
	Plate Supply Voltage	
	Grid Connected to negative end of cathode resistor	
	Cathode Resistor	ns
	Amplification Factor	
	Plate Resistance (Approx.)	
	· ·	ma
	Grid Voltage (Approx.) for plate $\mu a = 50$ —5 vol	
		• 0
	Mechanical:	
•	Operating Position	al)" 5" ms T4
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-,

Basing Designation for BOTTOM	VIEW 12AQ							
Pin 1ª-Do Not Use Pin 2 - Plate	90)	_						
Pin 3 ^a - Do Not Use Pin 4 - Grid Pin 5 ^a - Do Not Use Pin 6 ^a - Do Not Use	5• H H H • • • • • • • • • • • • • • • •							
Pin 7 ^a - Do Not Use Pin 8 - Cathode Pin 9 ^a - Do Not Use Pin 10 - Heater	9 • 3 • 1	$\overline{}$						
Pin 12 - Heater	INDEX=LARGE LUG SHORT PIN; IC-DO NOT USE							
AMPLIFIER - Class A								

Maximum Ratings, Absolute-Maximum Values:

For operation at any altitude

11 2 4							0		
Typical Operation:									
Plate Dissipation	•	•	•	•		٠		0.45 max. wati	Ĺ
Cathode Current								15 max. ma	4
Grid Current								2 max. ma	£
Peak-positive value.								2 max. volts	3
Negative-bias value.								55 max. volts	ö
Grid Voltage:									
Plate Voltage								50 max. volts	5

Heater Voltage					Specifie	ed center	value
Plate Supply Voltage					. 12	24	volts
Grid Voltage						-0.7	vol t
Grid Resistor							
Amplification Factor							
Plate Resistance (Approx.)				: 1500	1.500	ohms
Transconductance					. 8000	8000	μ mhos
Plate Current					. 5.5	9.5	ma

Maximum Circuit Values:

Grid-Circuit Resistance:b					
For fixed-bias operation.				10 max.	megohins
For cathode-bias operation				10 max.	megohms

Pins 1, 3, 5, 6, 7, and 9 are of a length such that their ends do not touch the socket insertion plane.

b For operation at metal-shell temperatures up to 150° C.measured in Zone "A" as shown on Dimensional Outline. For operation at metal-shell temperatures above 150° C, see accompanying Grid-Circuit-Resistance Rating Chart.

CHARACTERISTICS RANGE VALUES

_			Note	Min.	Max.	
	Heater	Current	1	$0.95 \frac{0.85}{E_{f}(ctr)}$	$1.05 \frac{0.85}{E_f(ctr)}$	amp
		Interelectrode			בייים	
	•	itances:	2	1 0	2.4	
		to plate to cathode.	۷	1.8	2.4	ρf
_		ll, and heater	2	3.4	4.6	pf
``	Plate	to cathode.				Ρ,
	she	ll, and heater	2	1.4	2.0	рf
		to cathode .	2	0.26	0.42	рf
	Heate	er to cathode.	2	1.1	1.7	pf
		urrent (1)	1,3	6.7	10.7	ma
		urrent (2).	1,4	-	50	μa
		nductance (1)	1,3	6500	8500	μ mhos
		nductance (2)	3,5	5700	0.05	μ mhos
		Grid Current cation Factor	1,6 1,3	- 9	0.05 14	μā
		Cathode	1, .	Э	1.4	
		ge Current:				
		r negative				
		h respect to				
		hode	1.7	_	5	μа
		r positive				
		h respect to	4 "7		<i>C</i>	
		hode	1,7		5	μа
		Resistance: en grid and				
		other				
		ctrodes tied				
		ether	1,8	5000	_	megohms
	Betwe	en plate and				
		other				
		ctrodes tied	1 0	10000		
	τος	ether	1,9	10000		megohms
	Note 1: Note 2:			= specified cente e with EIA Standa		
	Note 3:					nected to
	11010).	negative end of ca and cathode-bypas	thode ss cap	lts = 24, grid an e resistor, catho pacitor (µf) = 10	de resistor (ohms	s) = 100,
_	Note 4:	With dc plate vo connected to grow	lts = und.	24, dc grid volt	ts = -10, and met	al shell
	Note 5:	With dc heater vo	olts:	= 0.9 specified c		
	Note 6:	With dc plate su grid circuit res of the current met connected to grow	apply istan ter u	volts = 40, dc ce (megohms) \leq 1 sed for this meas	grid supply vol (the internal re urement), and me	ts = -2, esistance tal shell
	Note 7:	With dc heater-ca		e volts = 100.		
	u = t = 0 .	with a mid ago				

Note 8: With grid 100 volts negative with respect to all other electrodes tied together, and metal shell connected to ground.

Note 9: With plate 300 volts negative with respect to all other electrodes tied together, and metal shell connected to ground.

SPECIAL TESTS

Short-Duration Shock (1):

Peak Impact Acceleration. 1000

a

This test is performed on a sample lot of tubes to determine the ability of the tube to withstand the specified Peak Impact Acceleration. Tubes are held rigid in each of four different positions (X_1 , X_2 , Y_1 , and Y_2) in a Navy-Type High-Impact (Flyweight) Shock Machine and, with tube-electrode voltages applied, are subjected to 20 blows (5 in each position) at the specified Peak Impact Acceleration.

At the end of this test, tubes are criticized for Continuity and Shorts, Transconductance (I), Reverse Grid Current, and Heater-Cathode Leakage Current.

Long-Duration Shock (2):

Peak Impact Acceleration. 50

This test is performed, using a half-sine-wave, II-millisecond, mechanical shock pulse, on a sample lot of tubes from each production run to determine the ability of the tube to withstand the specified Peak Impact Acceleration. Tubes are held rigid in each of two positions in three mutually perpendicular axes on a free-fall table. The longitudinal axis of the tube is coincident with one of the three axes. The table is dropped a total of 18 times to a horizontal surface from a height sufficient to produce the specified Peak Impact Acceleration. The material of the horizontal surface is such that the duration of the half-sine-wave shock pulse is II-milliseconds. No tube-electrode voltages are applied during this test.

At the end of this test, tubes are criticized for Continuity and Shorts, Transconductance (I), Reverse Grid Current, and Heater-Cathode Leakage Current.

Sweep-Frequency Fatigue Vibration:

This test is performed on a sample lot of tubes from each production run to determine the ability of the tube to withstand the Sweep-Frequency Fatigue Vibration specified below. Tubes are held rigid and operated with dc heater-cathode volts = 100. During operation, the tube is vibrated through the frequency range from 5 to 500 cps and back to 5 cps. One such vibration sweep cycle takes approximately 15 minutes. This cycle is repeated for a period of 3 hours along each of three mutually perpendicular axes for a total of 9 hours. The longtudinal axis of the tube is coincident with one of the three axes. The vibrations are applied as follows:

- a. The vibration from 5 to 50 cps is applied with a constant peak amplitude of 0.040 inch (0.080 inch peak-to-peak).
- b. The vibration from 50 to 500 cps is applied with a constant acceleration of 10 $\rm g$.
- c. The vibration from 500 to 50 cps and then to 5 cps follows the same procedure, but in reverse.

At the end of this test, tubes are criticized for Continuity

and Shorts, Transconductance (I), Reverse Grid Current, and Heater-Cathode Leakage Current.

Low-Pressure Voltage Breakdown:

This test is performed on a sample lot of tubes from each production run to determine the ability of the tube to withstand high-altitude (low-air-pressure) conditions. Tubes are operated with 250 volts rms (60-cycle, ac) applied between plate and allother electrodes and metal shell connected together. Tubes must not break down or show evidence of corona when subjected to an air pressure (8.0 \pm 0.5 mm Hg) corresponding to an altitude of 100,000 feet.

Continuity and Shorts:

This test is performed on a sample lot of tubes from each production run. Tubes are subjected to the Thyratron-Type Shorts Test described in MIL-E-ID, Amendment 5, Paragraph 4.7.7, except that tapping is done by hand with a soft rubber tapper (Specifications for this tapper will be supplied upon request). The areas of acceptance and rejection for this test are shown in the accompanying Shorts-Test Acceptance-Limits graph. In this test, tubes are criticized for permanent or temporary shorts and open circuits.

Reliability Life (20 Hours):

This test is performed on a sample size (minimum of 80 tubes/lot for a 5-lot sampling plan or a minimum of 400 tubes for a single-lot sampling plan) designed to assure a process average AFR (Acceptable Failure Rate) of 0.5 per cent for Inoperatives and 2.1 per cent for Total Defectives and a process average RFR (Rejectable Failure Rate) of 2.0 per cent for Inoperatives and 4.7 per cent for Total Defectives.

During this test, tubes are operated at \max -rated plate dissipation.

At the end of this test, tubes are criticized for Change in Transconductance (I), Inoperatives, and Total Defectives. A tube is considered Inoperative if it has a discontinuity, permanent short, or air leak.

Heater-Cycling Life (100 Hours)

Intermittent Operation 2000 cycles

This test is performed on a sample lot of tubes from each production run with heater volts = 1.35x specified center value cycled I minute ON and 2 minutes OFF, dc heater-cathode volts = -100, all other tube electrodes and metal shell connected to ground.

At the end of this test, tubes are criticized for Heater-Cathode Leakage Current, Open Heaters, Open Cathode Circuits, and Heater-Cathode Shorts.


Intermittent Life (100 Hours):


This test is performed on a sample lot of tubes from each production run. $% \left(1\right) =\left(1\right) +\left(1\right) +$

During this test, tubes are operated at $\ensuremath{\mathsf{maximum-rated}}$ plate dissipation.


At the end of this test, tubes are criticized for Transconductance (I), Reverse Grid Current, Inoperatives, and Total Defectives. A tube is considered Inoperative if it has a discontinuity, permanent short, or air leak.

SHORTS-TEST ACCEPTANCE LIMITS






BOTTOM VIEW Showing Arrangement of All II Base Pins




MODIFIED BOTTOM VIEW With Element Connections Indicated and Short Pins Not Shown



NOTE 1: MAXIMUM OUTSIDE DIAMETER OF 0.440" IS PERMITTED ALONG 0.190" LUG LENGTH.


NOTE 2: METAL-SHELL TEMPERATURE SHOULD BE MEASURED IN ZONE "A".

AVERAGE PLATE CHARACTERISTICS With Amplification Factor as Variable




92CS-12165

AVERAGE PLATE CHARACTERISTICS With Transconductance as Variable




9205-12166

AVERAGE PLATE CHARACTERISTICS




AVERAGE PLATE CHARACTERISTICS With Plate Resistance as Variable



92CS-12164

GRID-CIRCUIT-RESISTANCE RATING CHART



92CS-11479RI